



A Collection

That Flows The Air Of Elegance

“ Creativity & Nationalism Are The Heart of Indo “

INDO was founded with the vision of catering to the service of the masses, making the lives of the people easier with products that are manufactured strictly keeping in mind the exact requirement of people from different strata of life.


We pride ourselves on being the customer's first choice, which is also our mission. When it comes to ethics and integrity there can be no compromises and no excuses.


Finding new ideas and strategies to create brilliant products and giving value-added solutions to our clients, we develop new designs and induce excellent techniques within a wide range of electrical products.



Table Of Content

01	Ceiling Fans	05 - 38
02	Pedestal Fans	39 - 48
03	Table Fans	49 - 58
04	Wall Fans	59- 64
05	Cabin Fans	65 - 70
06	Exhaust Fans	71 - 74
07	Air Fans	75 - 78
08	Ventilation Fans	79 - 83





CEILING FANS

Style that flows with the **breeze**....

Sleek, silent, and built to perform—our ceiling fans offer wide-sweep airflow and modern elegance. Designed for year-round comfort with energy-saving efficiency, they bring a cool, refined touch to every room.



WHERE STYLE
dances with air

*T & C Apply.

**Performance under standard testing condition.



Consumption	32 W
Sweep Size	1200 MM
Speed	360 RPM



Warranty On Product*



LED Lighting



Double Ball Bearing



High Grade Copper



BLDC Motor



Air Delivery
210 CMM /
7416 CFM



WHERE STYLE MEETS
superior airflow

*T & C Apply.

**Performance under standard testing condition.



Consumption	32 W
Sweep Size	1200 MM
Speed	360 RPM



Warranty On Product*



LED Lighting



Double Ball Bearing



High Grade Copper



BLDC Motor



Air Delivery
210 CMM /
7416 CFM

EMPEROR-EP 24


CEILING FAN



EXPERIENCE THE BREEZE of elegance



Consumption	65 W
Sweep Size	600 MM
Speed	850 RPM



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



Air Delivery
100 CMM /
3531 CFM

*T & C Apply.

**Performance under standard testing condition.

EMPEROR-EP 32

CEILING FAN



A FAN THAT FLOWS WITH
your style



Consumption	32 W
Sweep Size	800 MM
Speed	360 RPM



COPPER
ROSE WOOD

MATT BRASS
DARK WOOD



Warranty On
Product*



6 LED
Lighting



Double Ball
Bearing



High Grade
Copper



BLDC
Motor



Air Delivery
165 CMM /
5826 CFM

*T & C Apply.

**Performance under standard testing condition.



REFINEMENT in every flow



Consumption	38 W
Sweep Size	1230 MM
Speed	200 RPM



COPPER
ROSE WOOD



MATT BRASS
DARK WOOD



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



BLDC
Motor



Air Delivery
230 CMM /
8122 CFM

*T & C APPLY.

**PERFORMANCE UNDER STANDARD TESTING CONDITION.

MARCO LED

CEILING FAN



CRAFTED FOR THE perfect airflow



Consumption	38 W
Sweep Size	1230 MM
Speed	200 RPM

COPPER MATT BRASS
ROSE WOOD DARK WOOD



Warranty On
Product*



LED
Lighting



Double Ball
Bearing



High Grade
Copper



BLDC
Motor



Air Delivery
230 CMM /
8122 CFM

*T & C APPLY.

**PERFORMANCE UNDER STANDARD TESTING CONDITION.

TIAGO STAR

CEILING FAN



DESIGNED TO FLOW built to last



Consumption	54 W
Sweep Size	1200 MM
Speed	380 RPM



DARK
BROWN



PEARL
WHITE



TAPIOCA
GOLD



Warranty On
Product*



Double Ball
Bearing



Air Delivery
220 CMM /
7769 CFM

*T & C Apply.

**Performance under standard testing condition.

FESTO STAR

CEILING FAN



BREEZE THROUGH life in style



Consumption	54 W
Sweep Size	1200 MM
Speed	380 RPM



ASH
BLUE



CHARCOAL
GREY



IRISH
COFFEE



TAPIOCA



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



Air Delivery
220 CMM /
7769 CFM

*T & C Apply.

**Performance under standard testing condition.

SUPREMUS DX STAR

CEILING FAN



INNOVATIVE DESIGN
unparalleled LED flow



Consumption	54 W
Sweep Size	1200 MM
Speed	380 RPM



BROWN



WHITE



SMOKE
BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



Air Delivery
220 CMM /
7769 CFM

*T & C Apply.

**Performance under standard testing condition.

ANDREX STAR

CEILING FAN



A SWIRL OF
sophistication



Consumption	Sweep Size	Speed	Air Delivery
W	MM	RPM	CMM / CFM
54	1200	380	220 / 7769
45	900	450	140 / 4944



2
YEARS

Warranty On
Product*



Double Ball
Bearing



High Grade
Copper

*T & C Apply.

**Performance under standard testing condition.

CAPTAIN STAR

CEILING FAN



AIR THAT MOVES YOU
style that defines you



Consumption	54 W
Sweep Size	1200 MM
Speed	400 RPM



WHITE



SMOKE BROWN



BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



Air Delivery
220 CMM /
7769 CFM

*T & C Apply.

**Performance under standard testing condition.

DELTA STAR

CEILING FAN



A DESIGN THAT MAKES every breeze count



POWER SAVINGS GUIDE

Consumption	Sweep Size	Speed	Air Delivery
W	MM	RPM	CMM / CFM
54	1200	380	220 / 7769
45	900	450	140 / 4944



*T & C Apply.

**Performance under standard testing condition.



Warranty On
Product*



Double Ball
Bearing



Air Delivery
220 CMM /
7769 CFM



YOUR PEACE BEGINS
with cool breeze



Consumption	54 W
Sweep Size	1200 MM
Speed	400 RPM



WHITE



SMOKE BROWN



BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



Air Delivery
220 CMM /
7769 CFM

*T & C Apply.

**Performance under standard testing condition.

PACE STAR

CEILING FAN



Consumption 54 W

Sweep Size 1200 MM

Speed 400 RPM



PACE DECO


CEILING FAN



Consumption 54 W

Sweep Size 1200 MM

Speed 410 RPM



Warranty On Product*



Double Ball Bearing



High Grade Copper



Air Delivery 220 CMM / 7769 CFM

ENGINEERED FOR elegance

*T & C Apply.

**Performance under standard testing condition.



COOLING WITH A touch of class



Consumption	54 W
Sweep Size	1200 MM
Speed	410 RPM



Warranty On
Product*



Double Ball
Bearing



Air Delivery
220 CMM /
7769 CFM

*T & C Apply.

**Performance under standard testing condition.



REFRESHING comfort every day



Consumption	54 W
Sweep Size	1200 MM
Speed	410 RPM



SMOKE
BROWN

IVORY



Warranty On
Product*



Double Ball
Bearing



Air Delivery
220 CMM /
7769 CFM

*T & C Apply.

**Performance under standard testing condition.



REDEFINING comfort and design



Consumption	54 W
Sweep Size	1200 MM
Speed	400 RPM



Air Delivery
220 CMM /
7769 CFM



2
YEARS
Warranty On
Product*



Double Ball
Bearing



High Grade
Copper

*T & C Apply.

**Performance under standard testing condition.



BREEZING life beautifully



Consumption	54 W
Sweep Size	1200 MM
Speed	400 RPM



Air Delivery
220 CMM /
7769 CFM



2
Warranty On
Product*



Double Ball
Bearing



High Grade
Copper

*T & C Apply.

**Performance under standard testing condition.



SMART DESIGN smooth airflow



Consumption	54 W
Sweep Size	1200 MM
Speed	400 RPM



Air Delivery
220 CMM /
7769 CFM



2
YEARS
Warranty On
Product*



Double Ball
Bearing



High Grade
Copper

*T & C Apply.

**Performance under standard testing condition.



CRAFTED FOR perfect ambiance



Consumption	32 W
Sweep Size	1200 MM
Speed	350 RPM



-  Air Delivery 230 CMM / 8122 CFM
-  2 YEARS Warranty On Product*
-  Double Ball Bearing
-  Remote Control

*T & C Apply.

**Performance under standard testing condition.



FEEL THE
whispering wind



Consumption	54 W
Sweep Size	1200 MM
Speed	350 RPM



BLACK WOODEN WHITE



Air Delivery
230 CMM /
8122 CFM



2
YEARS
Warranty On
Product*



Double Ball
Bearing



Remote
Control

*T & C Apply.

**Performance under standard testing condition.

FLOAT 22" / 32"/52"

CEILING FAN



SERENITY
in every spin



LED LIGHTS



Model	Consumption	Sweep Size	Speed	Air Delivery
	W	MM	RPM	CMM / CFM
Float 22"	40	1200	400	165/5827
Float 32"	42	1200	370	190/6710
Float 52"	42	1200	220	270/9535



*T & C Apply.

**Performance under standard testing condition.



Dust Proof



2
YEARS
Warranty On
Product*



Double Ball
Bearing

EMELIA GALAXY SERIES

CEILING FAN



NATURALLY COOL
beautifully design



Consumption	54 W
Sweep Size	1200 MM
Speed	310 RPM



SMOKE
BROWN



WHITE-COPPER



WOODEN



WHITE-GOLD



WHITE-SILVER



Air Delivery
240 CMM /
8476 CFM



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper Winding

*T & C Apply.

**Performance under standard testing condition.



INSPIRED BY nature's calm



Consumption	54 W
Sweep Size	1200 MM
Speed	350 RPM



Air Delivery
220 CMM /
7769 CFM



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper Winding

*T & C Apply.

**Performance under standard testing condition.

KOHINOOR 900MM

CEILING FAN



BREEZE beyond limits



Consumption	45 W
Sweep Size	900 MM
Speed	650 RPM



BROWN



WHITE



SMOKE
BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



Air Delivery
140 CMM /
4944 CFM



High Grade
Copper

*T & C Apply.

**Performance under standard testing condition.

ANDREX STAR

CEILING FAN



A STATEMENT OF sophistication



Consumption	65 W
Sweep Size	600 MM
Speed	850 RPM



BROWN



WHITE



SMOKE
BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



Air Delivery
100 CMM /
3531 CFM

*T & C Apply.

**Performance under standard testing condition.

FESTO STAR

CEILING FAN



COOLING THAT complements luxury



Consumption	65 W
Sweep Size	600 MM
Speed	850 RPM



*T & C Apply.

**Performance under standard testing condition.



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



Air Delivery
100 CMM /
3531 CFM



BLEND OF power and style



Consumption	65 W
Sweep Size	600 MM
Speed	850 RPM



BROWN



WHITE



SMOKE
BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



Air Delivery
100 CMM /
3531 CFM

*T & C Apply.

**Performance under standard testing condition.

BUDGET STAR

CEILING FAN



REDEFINING COOL with timeless elegance



Consumption	65 W
Sweep Size	600 MM
Speed	850 RPM



SMOKE
BROWN



WHITE



BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



Air Delivery
100 CMM /
3531 CFM

*T & C Apply.

**Performance under standard testing condition.

LITTLE ACTIVE STAR

CEILING FAN



GRACEFUL SPINS
unmatched comfort



Consumption	65 W
Sweep Size	600 MM
Speed	850 RPM



BROWN



WHITE



SMOKE BROWN



IVORY



Warranty On Product*



Double Ball Bearing



High Grade Copper



Air Delivery
100 CMM /
3531 CFM

*T & C Apply.

**Performance under standard testing condition.

LITTLE MASTER (30")

CEILING FAN



BREEZE BUILT
better



Consumption	65 W
Sweep Size	750 MM
Speed	850 RPM



SMOKE
BROWN



WHITE



BROWN



IVORY



Warranty On
Product*



Double Ball
Bearing



High Grade
Copper



Air Delivery
100 CMM /
3531 CFM

*T & C Apply.

**Performance under standard testing condition.



A SPINNING chill



Consumption	65 W
Sweep Size	600 MM
Speed	850 RPM



Warranty On
Product*




Double Ball
Bearing



Air Delivery
100 CMM /
3531 CFM

*T & C Apply.

**Performance under standard testing condition.



Delta

4
3
2
1
0

PEDESTAL FANS

Grace in motion
power in **breeze**....

Designed to deliver superior airflow with an adjustable height for personalized cooling. Crafted for modern spaces, these fans blend power and sophistication, ensuring a refreshing breeze wherever you need it. Elevate your comfort with whisper-quiet performance and energy-efficient technology.

ALPHA / DELTA

PEDESTAL FAN



BREEZE THAT VESMO WITH YOU



CONSUMPTION	105 W
SWEEP SIZE	400 MM
SPEED	2100 RPM

Colour Option —

WHITE BLACK



Air Delivery
90 CMM /
3178 CFM



Warranty On
Product*



Adjustable
Telescopic Pipe



Rust Proof Body
& Blades
For Long Life



3 Speed
Levels



High Air Thrust
& High Air
Delivery



Smooth
Oscillation With
Silent Operation

*T & C APPLY.

**PERFORMANCE UNDER STANDARD TESTING CONDITION.

ALPHA NX / DELTA NX

PEDESTAL FAN



ELEGANCE
O, EVERY TEPS



CONSUMPTION	105 W
SWEEP SIZE	400 MM
SPEED	2100 RPM

*T & C APPLY.

**PERFORMANCE UNDER STANDARD TESTING CONDITION.



Air Delivery
90 CMM /
3178 CFM



Warranty On
Product*



Adjustable
Telescopic Pipe



Rust Proof Body
& Blades
For Long Life



3 Speed
Levels



High Air Thrust
& High Air
Delivery



Smooth
Oscillation With
Silent Operation

AIRFLOW your way



Consumption	100 W
Sweep Size	400 MM
Speed	2200 RPM



Air Delivery
100 CMM /
3531 CFM



Warranty On
Product*



Adjustable
Telescopic Pipe



Rust Proof Body
& Blades
For Long Life



3 Speed
Levels



High Air Thrust
& High Air
Delivery



Smooth
Oscillation With
Silent Operation

*T & C Apply.

**Performance under standard testing condition.

TOOFAN (copper)

PEDESTAL FAN



UPGRADE YOUR
cooling experience



Consumption	110 W
Sweep Size	450 MM
Speed	2500 RPM

Available in both
Aluminium & Copper

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
110 CMM /
3884 CFM



1
YEARS
Warranty On
Product*



Adjustable
Telescopic Pipe



Rust Proof Body
& Blades
For Long Life



3 Speed
Levels



High Air Thrust
& High Air
Delivery



Smooth
Oscillation With
Silent Operation

STRIKER

PEDESTAL FAN

BREEZE ON
your command



Consumption	100 W
Sweep Size	400 MM
Speed	2200 RPM

*T & C Apply.

**Performance under standard testing condition.



Warranty On
Product*



Heavy Duty
Motor



Height
Adjustable



Sturdy
Base



3 Speed
Control



Easy To
Operate



Air Delivery
100 CMM /
3531 CFM

IDEAL NEO

PEDESTAL FAN

CONTROL
the cool



Consumption	145 W
Sweep Size	500 MM
Speed	1350 RPM

*T & C Apply.

**Performance under standard testing condition.



Warranty On
Product*



Heavy Duty
Motor



Air Delivery
120 CMM /
4237 CFM



Durable and
Rust Resistant
Construction



3 Speed Rotary
Switch Control



High Air Thrust
with Minimal
Noise

RAFALE NEO (OSC)

PEDESTAL FAN



EFFORTLESS
style

Consumption	145 W
Sweep Size	500 MM
Speed	1380 RPM

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
120 CMM /
4237 CFM



Warranty On
Product*



Adjustable
Telescopic Pipe



Rust Proof Body
& Blades
For Long Life



3 Speed
Levels



High Air Thrust
& High Air
Delivery



Smooth
Oscillation With
Silent Operation

VIKRANT NEO

PEDESTAL FAN



PORTABLE breeze

Consumption	145 W
Sweep Size	500 MM
Speed	1350 RPM

Available in both
Aluminium & Copper

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
120 CMM /
4237 CFM



Warranty On
Product*



Adjustable
Telescopic Pipe



Rust Proof Body
& Blades
For Long Life



3 Speed
Levels



High Air Thrust
& High Air
Delivery



Smooth
Oscillation With
Silent Operation




TABLE FANS

Small in size
big in **comfort**....

Our Table Fans bring a burst of fresh air to any corner of your home or office. With sleek aesthetics and advanced aerodynamics, they provide seamless cooling while complementing your interiors. Designed for versatility, these fans ensure maximum airflow with minimal space consumption.



COMPACT SIZE,
grand airflow



Model	Consumption	Sweep Size	Speed	Air Delivery
	W	MM	RPM	CMM / CFM
Royal 9"	65	225	2400	55 / 1950
Royal 12"	85	300	2200	65 / 2300
Royal 16"	110	400	2200	90 / 3200

GREY

WHITE BLUE



Warranty On
Product*



Aerodynamically
Designed Blades



Enhanced Air
Delivery With
Powerful Motor



3 Speed
Levels



Jerk Free
Performance




Easy "Snap Fit"
Assembly

*T & C Apply.

**Performance under standard testing condition.

ALPHA NX / DELTA NX

TABLE FAN



STYLE THAT
fits your desk



Consumption	100 W
Sweep Size	400 MM
Speed	2100 RPM

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
90 CMM /
3200 CFM



Warranty On
Product*



Aerodynamically
Designed Blades



Enhanced Air
Delivery With
Powerful Motor



3 Speed
Levels




Jerk Free
Performance



Easy "Snap Fit"
Assembly

ALPHA/ DELTA

TABLE FAN



SMALL FRAME, powerful breeze



Consumption	110 W
Sweep Size	400 MM
Speed	2100 RPM

Colour Option

WHITE BLACK



Air Delivery
90 CMM /
3200 CFM



Warranty On
Product*



Aerodynamically
Designed Blades



Enhanced Air
Delivery With
Powerful Motor



3 Speed
Levels



Jerk Free
Performance




Easy "Snap Fit"
Assembly

*T & C Apply.

**Performance under standard testing condition.

ALPHA NEO / DELTA NEO

TABLE FAN



COOLING
close to you



Consumption	85 W
Sweep Size	400 MM
Speed	1400 RPM

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
75 CMM /
2648 CFM



Warranty On
Product*



Aerodynamically
Designed Blades



Enhanced Air
Delivery With
Powerful Motor



3 Speed
Levels



Jerk Free
Performance



Easy "Snap Fit"
Assembly



COMPACT. COOL. classy



Consumption	85 W
Sweep Size	300 MM
Speed	2200 RPM

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
90 CMM /
3200 CFM



Warranty On
Product*



Aerodynamically
Designed Blades



Enhanced Air
Delivery With
Powerful Motor



3 Speed
Levels



Jerk Free
Performance



Easy "Snap Fit"
Assembly



PERFECTLY PORTABLE breeze



Consumption	85 W
Sweep Size	300 MM
Speed	2200 RPM

*T & C Apply.

**Performance under standard testing condition.



Air Delivery



Warranty On
Product*



Aerodynamically
Designed Blades



Enhanced Air
Delivery With
Powerful Motor




3 Speed
Levels



Jerk Free
Performance



Easy "Snap Fit"
Assembly



YOUR LITTLE
comfort companion



Consumption	85 W
Sweep Size	300 MM
Speed	2200 RPM

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
90 CMM /
3200 CFM



Warranty On
Product*



Aerodynamically
Designed Blades



Enhanced Air
Delivery With
Powerful Motor




3 Speed
Levels



Jerk Free
Performance



Easy "Snap Fit"
Assembly



WALL FANS

Breezing through
every **corner**....

Engineered for high-performance cooling with space-saving innovation. Perfect for homes, offices, and commercial areas, these fans offer directional airflow with adjustable oscillation, delivering comfort where it matters the most. Stylish, sturdy, and efficient, stay cool without compromise.



ELEVATED COOLING flawless flow

Consumption	105 W
Sweep Size	400 MM
Speed	2100 RPM



Air Delivery
95 CMM /
3354 CFM



2
YEARS

Warranty On
Product*



Oscillation



3 Speed
Levels



Jerk Free
Performance




Enhanced Air
Delivery With
Powerful Motor

*T & C Apply.

**Performance under standard testing condition.

AIR CIRCULATOR

TEZ WALL FAN



SAVE SPACE
maximize breeze

2
YEARS

Warranty On
Product*



Oscillation



3 Speed
Levels



Jerk Free
Performance



Enhanced Air
Delivery With
Powerful Motor

Model	Consumption	Sweep Size	Speed	Air Delivery
Tez	W	MM	RPM	CMM / CFM
Air Circulation 18"	100	450	1350	100 / 3531
Air Circulation 24"	180	600	1350	270 / 9534
Air Circulation 30"	250	750	1350	400 / 14125

*T & C Apply.

**Performance under standard testing condition.

THUNDER

WALL FAN



VERTICAL ELEGANCE

constant comfort

Consumption	100 W
Sweep Size	450 MM
Speed	1350 RPM

*T & C Apply.

**Performance under standard testing condition.



Air Delivery
100 CMM /
3531 CFM



Warranty On
Product*



Oscillation



Air Delivery
100 CMM



3 Speed
Levels



Jerk Free
Performance



Enhanced Air
Delivery With
Powerful Motor

VICTUS / RITZ

WALL FAN



HIGH ON THE WALL cool for all



Air Delivery
95 CMM /
3354 CFM



2
YEARS

Warranty On
Product*



Oscillation



3 Speed
Levels



Jerk Free
Performance



Enhanced Air
Delivery With
Powerful Motor

Model	Consumption	Sweep Size	Speed	Air Delivery
	W	MM	RPM	CMM / CFM
Victus 12"	85	300	2200	55/1942
Victus 16"	105	400	2100	95/3354


— Colour Option —

GREY

WHITE BLUE

*T & C Apply.

**Performance under standard testing condition.



Indo

CABIN FANS

Airflow that follows **you**....

Our Cabin Fans are designed for compact spaces, offering targeted cooling with precision. Whether for offices, vehicles, or enclosed areas, these fans ensure a steady breeze with a sleek and sturdy build, keeping your surroundings comfortable and airy.



POWER PACKED cooling for cabins



Model	Consumption	Sweep Size	Air Delivery
			W MM CMM / CFM
Magic Dix 12"	85	300	95 / 3354
Magic Grc 10"	85	250	55 / 1942

Colour Option

WHITE

BLACK

IVORY



Warranty On
Product*



Overload
Thermal
Protector



High Air
Thrust



Aerodynamically
Designed Blades

*T & C Apply.

**Performance under standard testing condition.

CABIN FAN

CABIN FAN



SILENT BREEZE for workspaces



Model	Consumption	Sweep Size	Air Delivery
	W	MM	CMM / CFM
Cabin 9"	65	225	85 / 2400
Cabin 12"	85	300	95 / 2200
Cabin 16"	110	400	125 / 4414

Colour Option
WHITE BLUE WHITE BLACK IVORY



Warranty On
Product*



Overload
Thermal
Protector



High Air
Thrust




Aerodynamically
Designed Blades

*T & C Apply.

**Performance under standard testing condition.

COSMO

CEILING MOUNTING FAN



COMPACT, stylish, efficient



Consumption	70 W
Sweep Size	400 MM
Speed	1500 RPM

Noise Level
70 DB2
YEARS
Warranty On
Product*Low Ceiling
Height SolutionPower Saving
Multiple LED
LightLow/High Speed
FunctionAir Delivery
230 CMM /
8125 CFM

*T & C Apply.

**Performance under standard testing condition.



COOL COMFORT IN compact size



Model	Consumption	Sweep Size	Air Delivery
			W MM CMM / CFM
High Tide 6"	55	150	65 / 2295
High Tide 9"	65	255	85 / 3001

Colour Option
WHITE BLACK IVORY



Warranty On
Product*



Overload
Thermal
Protector



High Air
Thrust




Aerodynamically
Designed Blades



Multipurpose
(Cabin Cum
Table Fan)

*T & C Apply.

**Performance under standard testing condition.



Indo[®]


EXHAUST FANS

Clean the air
refresh the **space**....

Compact yet powerful, our exhaust fans efficiently remove heat, humidity, and odors—keeping your spaces fresh and ventilated. Designed for quiet operation and long-lasting performance, they're the invisible heroes of clean air.

FORCE
HEAVY DUTY FAN

COMFORT IN
exhaust out



Warranty On
Product*



Copper
Winding




Air Delivery
3250 CMH

Model	Consumption	Sweep Size	Speed	Air Delivery
	W	MM	RPM	CMH
Force 15"	140	380	1350	3250
Force 18"	350	450	1350	6120

EXHAUST 6070
HEAVY DUTY FAN

CLEAR AIR
clean living



Warranty On
Product*



Double Ball
Bearing



High Velocity
Performance



Suitable For
Cooler Exhaust



Heavy Duty
Motor

Consumption	350 W
Sweep Size	450 MM
Speed	1400 RPM

*T & C Apply.

**Performance under standard testing condition.

SILENT POWER
lasting freshness



1
YEAR

Warranty On
Product*

Model	Consumption	Sweep Size	Speed	Air Delivery
	W	MM	RPM	CMH
Globe 12"	90	375	1350	1710
Globe 15"	150	380	1350	3250
Globe 18"	350	450	1350	6120

H FRAME MOTOR HEAVY DUTY FAN

REFINED
flow



1
YEAR

Warranty On
Product*



Double Ball
Bearing




Heavy Duty
Motor

Model	Consumption	Sweep Size	Speed
	W	MM	RPM
H FRAME	285	450	1350
32 MM	250	500	1350
35 MM	240	550	1350
38 MM	480	600	1300

*T & C Apply.

**Performance under standard testing condition.



AIR FANS

Freshness in
every whiff....

Engineered to circulate pure, refreshing air through your living and working spaces. These fans create a well-ventilated atmosphere by pushing out impurities and drawing in fresh air, ensuring a healthier and more comfortable indoor experience.

FUTURA

AIR FAN



Air Delivery
400 CMH



2
YEARS

Warranty On
Product*

CIRCULATE FRESHNESS

elevate spaces

Consumption	35 W
Sweep Size	150 MM
Speed	2500 RPM

*T & C Apply.

**Performance under standard testing condition.

ULTRA

AIR FAN

BREATHE EASY
feel the flow



Warranty On
Product*



Reversible
Function

Model	Consumption	Sweep Size	Speed
	W	MM	RPM
Ultra 9"	65	230	2400
Ultra 12"	80	300	2000

TRANS AIR DLX

AIR FAN

FRESH AIR
no Compromise



Warranty On
Product*



Double Ball
Bearing




Reversible
Function

Model	Consumption	Sweep Size	Speed	Air Delivery
	W	MM	RPM	CMH
Trans Air 9"	100	230	2200	720
Trans Air 12"	50	1350	1350	1600

*T & C Apply.

**Performance under standard testing condition.



Indo[®]

VENTILATION FANS

Clean air
clean mind....

These are designed to regulate airflow and maintain an optimal environment in residential and commercial settings. Efficient, durable, and built to last, these fans promote a healthier space by removing excess heat, moisture, and pollutants with ease.

AXIAL 4" & 6"

AXIAL FAN

Colors Available



Consumption 15 W, 25 W

Speed 2700, 2400 RPM

Sweep 100mm, 150mm

Air Delivery 100 CFM/165 CFM

Duct Size 4" & 6"

Static IP 10mm

Frame Size (150 x 150 x 28)mm, (195 x 190 x 40)mm

Fixing Dimension 4" (Cut out 100mm x 100mm)
6" (Cut out 150mm x 150mm)

SLEEK

AXIAL FAN

Colors Available



Consumption 25 W

Speed 2400 RPM

Sweep 150mm

Air Delivery 165 CFM

Duct Size 6"

Static IP 10mm

Frame Size (175 x 177 x 9)mm

Fixing Dimension 6" (Cut out 150mm x 150mm)

ALLOY 6"

AXIAL FAN

Colors Available



Consumption	25 W
Speed	2400 RPM
Sweep	150mm
Air Delivery	165 CFM

Duct Size	6"
Static IP	10mm
Frame Size	(195 x 190 x 25)mm
Fixing Dimension	6" (Cut out 150mm x 150mm)

ALLOY 6" STAINLESS STEEL

AXIAL FAN



Consumption	25 W
Speed	2400 RPM
Sweep	150mm
Air Delivery	165 CFM

Duct Size	6"
Static IP	10mm
Frame Size	(195 x 195 x 25)mm
Fixing Dimension	6" (Cut out 150mm x 150mm)

ATRIA 6"

AXIAL FANS WITH LOUVERS

Colors Available



Consumption	25 W
Speed	2400 RPM
Sweep	150mm
Air Delivery	165 CFM

Duct Size	6"
Static IP	10mm
Frame Size	(200 x 200 x 10)mm
Fixing Dimension	6" (Cut out 150mm x 150mm)

SLEEK WITH LOUVERS 6"

AXIAL FANS WITH LOUVERS

Colors Available



Consumption	25 W
Speed	2400 RPM
Sweep	150mm
Air Delivery	165 CFM

Duct Size	6"
Static IP	9mm
Frame Size	(175 x 177 x 9)mm
Fixing Dimension	6" (Cut out 150mm x 150mm)



SQUARE

AXIAL FANS WITH LOUVERS



Indo[®]



Colors Available



Consumption	25 W
Speed	2400 RPM
Sweep	150mm
Air Delivery	165 CFM

Duct Size	6"
Static IP	10mm
Frame Size	(200 x 200 x 27)mm
Fixing Dimension	6" (Cut out 150mm x 150mm)

SQUARE METALLIC

AXIAL FANS WITH LOUVERS



Indo[®]



Colors Available



Consumption	25 W
Speed	2400 RPM
Sweep	150mm
Air Delivery	165 CFM

Duct Size	6"
Static IP	10mm
Frame Size	(200 x 200 x 27)mm
Fixing Dimension	6" (Cut out 150mm x 150mm)

AERONET (Equipped with Mosquito Net)

AXIAL FANS WITH LOUVERS



Colors Available



BLACK



BROWN



WHITE



SILVER

Consumption 25 W

Duct Size 6"

Speed 2400 RPM

Static IP 10mm

Sweep 150mm

Frame Size (200 x 200 x 10)mm

Air Delivery 165 CFM

Fixing Dimension 6" (Cut out 150mm x 150mm)

PRIMA

ELECTRIC EXHAUST FAN



Consumption 25 W

Duct Size 6"

Speed 2100 RPM

Static IP 10mm

Sweep 150mm

Frame Size (175 x 177 x 9)mm

Air Delivery 165 CFM

Fixing Dimension 6" (Cut out 150mm x 150mm)

ARCFLOW

AXIAL FAN WITH LOUVERS



Consumption 15 W, 25 W

Duct Size 6" & 8"

Speed 2400 RPM

Static IP 10mm

Sweep 150mm, 200mm

Frame Size (200x200)mm / (300x300) mm

Air Delivery 165 CFM, 300CFM

Fixing Dimension (Cut out 150mm x 150mm)

(Cut out 200mm x 200mm)

6" & 8" SUPER SLEEK

VENTILATION FANS WITH LOUVERS

Colors Available



Consumption	35 W, 45W
Speed	2400 RPM, 2200 RPM
Sweep	150mm, 200mm
Air Delivery	200 CFM, 350 CFM

Blade Size	6" & 8"
Static IP	10mm
Frame Size	(230 x 230 x 10)mm, (290 x 290 x 10)mm
Fixing Dimension	6" (Cut out 200mm x 200mm) 8" (Cut out 250mm x 250mm)

6"/8"/10"/12" BREEZE DLX

VENTILATION FANS WITH LOUVERS

Colors Available



Consumption	25 W
Speed	1800 RPM, 1600 RPM, 1500 RPM, 1400 RPM
Sweep	150, 200, 250, 300 mm
Air Delivery	175, 325, 425, 625 CFM

Blade Size	6", 8", 10", 12"
Static IP	10mm
Frame Size	(240 x 240 x 30)mm, (290 x 290 x 37)mm, (340 x 340 x 40)mm, (390 x 390 x 40)mm
Fixing Dimension	7.5" (cutout size 200 x 200mm, 9.5" (cutout size 250 x 250mm) 11.5" (cutout size 300 x 300mm), 13.5" (cutout size 350 x 350mm)



Super Silent
Performance

6"/7"/8" VENT O AIR

VENTILATION FANS WITH LOUVERS



Colors Available



Consumption 35 W, 40 W, 45 W

Blade Size 6", 7", 8"

Speed 2400, 2300, 2200 RPM

Static IP 10mm

Sweep 150mm, 175mm, 200mm

Frame Size (235 x 235 x 27)mm, (270 x 270 x 35)mm, (290 x 290 x 35)mm

Air Delivery 200 CFM, 300 CFM, 350CFM

Fixing Dimension 7.5" (Cutout size 200mm x 200mm)
9" (Cutout size 225mm x 225mm)
9.5" (Cutout size 250mm x 250mm)

FLATRON 6" / 8"

VENTILATION FANS WITH LOUVERS

Colors Available



Consumption 35 W, 45 W

Blade Size 6", 8"

Speed 2400, 2200 RPM

Static IP 10mm

Sweep 150mm, 200mm

Frame Size (235 x 235 x 50)mm, (295 x 295 x 50)mm,

Air Delivery 200 CFM, 350 CFM

Fixing Dimension 7.5" (Cut out 200mm x 200mm)
9.5" (Cut out 250mm x 250mm)

I-BOLT SERIES

ELECTRIC EXHAUST FAN



Consumption	15 W, 25 W
Speed	1500, 1450, 1400 RPM
Sweep	150mm, 200mm, 250mm
Air Delivery	175 CFM, 325CFM, 425CFM
Duct Size	6", 8" & 10"
Static IP	10mm
Frame Size	(270x240x30)mm, (320 x 290 x 37)mm, (370 x 340 x 40)mm
Fixing Dimension	7.5" (Cut out 200mm x 200mm) 9.5" (Cut out 250mm x 250mm) 11.5"(Cut out 300mm x300mm)

AVIANCA

CEILING MOUNTED EXHAUST FAN



Consumption 22 W
Speed 2000 RPM

Duct Size 4"
Static IP 10mm
Fixing Dimension 8" (Cut out 200mm x 200mm)



Noise Level
33 DB



Air Delivery
250CMH / 150CFM

VENT BLOW

CEILING MOUNTED EXHAUST FAN



Consumption 22 W
Speed 2400 RPM

Duct Size 4"
Static IP 10mm
Fixing Dimension 8" (Cut out 200mm x 200mm)



Noise Level
30 DB



Air Delivery
170CMM / 100CFM



INDO HITECH APPLIANCES LTD.

OFFICE : A-13 MANGOLPURI INDUSTRIAL AREA PHASE II, NEW DELHI - 110034



Scan the QR Code from your
smartphone to visit our
Company Intro Video



● info@indoappliances.com

● www.indoappliances.com



Toll-Free

18001021818 / +91 8750101818