



Indo®

WATER
Heaters
BY INDO

STORAGE WATER HEATER
INSTANT WATER HEATER
GAS WATER HEATER



www.indoappliances.com



be indian buy indo



EXPERIENCE THE amazing

How amazing can electrical wiring devices and products be? Unbelievably so, if you look at the Indo range of products. First of all, they are all so fashionable to look at. From their sleek lines to their gorgeous colours and finishes, Indo products are a fashionista's dream come true. They can truly elevate any space with their stunning looks.

As someone who appreciates great style and loves incorporating such products in their daily lifestyle, I'm absolutely thrilled to be associated with the Indo brand. Their products complement my sense of fashion and it's exciting for me to showcase these products to you! I hope you'll find them equally amazing!






WHAT MAKES US BETTER



Vitreous Enamel Titanium
Glass Lined Coated Tank
Protects the underlying steel from
rust and corrosion.



Incloy Glass Coated Heating Element
Offers superior heating performance.



Dynoflow Technology
Provides hot water quickly to reduce heating time.



4 in 1 Multifunction
Safety Valve
Incorporates pressure vacuum, non return,
water and discharge.



Stainless steel 304
Prevents Scaling.



IPX4 Water Resistant
And Splash Proof



ELANZA PRO

STORAGE WATER HEATER



FREE INSTALLATION



VOLTAGE	230~
POWER	2kW
WATER PRESSURE	8 BAR



INSULATION



ENGINEERED POLYMER
ANTI CORROSION COATED
INNER TANK



8 BAR HIGH
WORKING PRESSURE



MULTIFUNCTION 4 IN 1
SAFETY VALVE



INCOLLOY 800 GLASS COATED
HEATING ELEMENT



CAPILLARY
THERMOSTAT & CUTOUT

HORIZONTAL

MODEL	ELANZA PRO	ELANZA PRO	ELANZA PRO	ELANZA PRO
CAPACITY (L)	6 L	10 L	15 L	25 L
DIMENSION (MM)	335X295X275	365X335X315	464X335X315	540X370X355

* ALL DIMENSION IN MM
LXWXH

VERTICAL

MODEL	ELANZA PRO	ELANZA PRO	ELANZA PRO	ELANZA PRO
CAPACITY (L)	6 L	10 L	15 L	25 L
DIMENSION (MM)	275X295X335	315X335X365	315X335X464	355X370X540

* ALL DIMENSION IN MM
LXWXH

7 YEARS*
WARRANTY
ON THE TANK

4 YEARS
WARRANTY
ON HEATING ELEMENT

2 YEARS
WARRANTY
ON THE PRODUCT

FREE INSTALLATION SUBJECT TO TERMS & CONDITIONS.
*EXTENDED WARRANTY SUBJECT TO REGISTRATION.



www.indoappliances.com



OPTIMUS GL

STORAGE WATER HEATER



FREE INSTALLATION



VOLTAGE


230~

POWER

2kW

WATER PRESSURE

8 BAR



PUF
INSULATION



ENAMEL TITANIUM
GLASSLINE COATED TANK



8 BAR HIGH
WORKING PRESSURE



MULTIFUNCTION 4 IN 1
SAFETY VALVE



INCOLLOY 800 GLASS COATED
HEATING ELEMENT



CAPILLARY
THERMOSTAT & CUTOUT

HORIZONTAL

MODEL	OPTIMUS GL	OPTIMUS GL	OPTIMUS GL	OPTIMUS GL
CAPACITY (L)	6 L	10 L	15 L	25 L
DIMENSION (MM)	335X295X275	365X335X315	464X335X315	540X370X355

* ALL DIMENSION IN MM
LXWXH

VERTICAL

MODEL	OPTIMUS GL	OPTIMUS GL	OPTIMUS GL	OPTIMUS GL
CAPACITY (L)	6 L	10 L	15 L	25 L
DIMENSION (MM)	275X295X335	315X335X365	315X335X464	355X370X540

* ALL DIMENSION IN MM
LXWXH

7 YEARS*
WARRANTY
ON THE TANK

4 YEARS
WARRANTY
ON HEATING ELEMENT

2 YEARS
WARRANTY
ON THE PRODUCT

FREE INSTALLATION SUBJECT TO TERMS & CONDITIONS.
*EXTENDED WARRANTY SUBJECT TO REGISTRATION.



www.indoappliances.com



SUPER DLX MAX

STORAGE WATER HEATER



FREE INSTALLATION

FREE SERVICE BENEFIT WORTH ₹600



GLASS WOOL INSULATION



STAINLESS STEEL 304 GRADE TANK



6 BAR HIGH WORKING PRESSURE



PRESSURE RELEASE VALVE



INCOLOY 800 GLASS COATED HEATING ELEMENT



CAPILLARY THERMOSTAT & CUTOUT

* ALL DIMENSION IN MM
LXWXH

MODEL	SUPER DLX MAX	SUPER DLX MAX	SUPER DLX MAX	SUPER DLX MAX
CAPACITY (L)	6 L	10 L	15 L	25 L
DIMENSION (MM)	250X255X310	250X255X370	320X336X428	355X375X445



VOLTAGE

230~

POWER

2kW

WATER PRESSURE

6 BAR

3 YEARS *
WARRANTY

ON THE TANK

3 YEARS
WARRANTY

ON HEATING ELEMENT

3 YEARS
WARRANTY

ON THE PRODUCT



www.indoappliances.com

FREE INSTALLATION SUBJECT TO TERMS & CONDITIONS.

*EXTENDED WARRANTY SUBJECT TO REGISTRATION.



AVIANCA SQUARE

STORAGE WATER HEATER



PUF
INSULATION



ENAMEL TITANIUM
GLASSLINE COATED TANK



8 BAR HIGH
WORKING PRESSURE



MULTIFUNCTION 4 IN 1
SAFETY VALVE



COPPER
HEATING ELEMENT



CAPILLARY
THERMOSTAT & CUTOUT

* ALL DIMENSION IN MM
LXWXH

MODEL	AVIANCA SQUARE	AVIANCA SQUARE	AVIANCA SQUARE
CAPACITY (L)	10 L	15 L	25 L
DIMENSION (MM)	355X355X310	400X400X327	455X455X404



VOLTAGE

230~

POWER

2kW

WATER PRESSURE

8 BAR

5 YEARS*
WARRANTY

ON THE TANK

2 YEARS
WARRANTY

ON HEATING ELEMENT

2 YEARS
WARRANTY

ON THE PRODUCT



www.indoappliances.com

FREE INSTALLATION SUBJECT TO TERMS & CONDITIONS.
*EXTENDED WARRANTY SUBJECT TO REGISTRATION.

ULTRA SLIM

STORAGE WATER HEATER



PUF
INSULATION



ENAMEL TITANIUM
GLASSLINE COATED TANK



8 BAR HIGH
WORKING PRESSURE



MULTIFUNCTION 4 IN 1
SAFETY VALVE



INCOLOY 800 GLASS COATED
HEATING ELEMENT



CAPILLARY
THERMOSTAT & CUTOUT

HORIZONTAL

* ALL DIMENSION IN MM
LXWXH

MODEL	ULTRA SLIM				
CAPACITY (L)	10 L	15 L	25 L	35 L	50 L
DIMENSION (MM)	430X310X300	460X350X340	620X350X240	675X390X380	775X390X380

VERTICAL

* ALL DIMENSION IN MM
LXWXH

MODEL	ULTRA SLIM				
CAPACITY (L)	10 L	15 L	25 L	35 L	50 L
DIMENSION (MM)	270X285X453	270X285X560	340X355X625	380X390X675	380X390X775



VOLTAGE

230~

POWER

2kW

WATER PRESSURE

8 BAR

7 YEARS*
WARRANTY

ON THE TANK

2 YEARS
WARRANTY

ON HEATING ELEMENT

2 YEARS
WARRANTY

ON THE PRODUCT

FREE INSTALLATION SUBJECT TO TERMS & CONDITIONS.

*EXTENDED WARRANTY SUBJECT TO REGISTRATION.



www.indoappliances.com



HOT STAR NEO

INSTANT WATER HEATER



5.5 LTR

3 LTR

1 LTR

NEW
LAUNCH



GLASS WOOL
INSULATION



STAINLESS STEEL
304 GRADE TANK



8 BAR HIGH
WORKING PRESSURE



MULTIFUNCTION 4 IN 1
SAFETY VALVE



COPPER
HEATING ELEMENT



HI PRECISION
THERMOSTAT & CUTOUT

* ALL DIMENSION IN MM
LXWXH

MODEL	HOT STAR NEO	HOT STAR NEO	HOT STAR NEO
CAPACITY (L)	1 L	3 L	5.5 L
DIMENSION (MM)	160X147X257	197X180X325	240X222X373

VOLTAGE

230~

POWER

3/4.5kW

WATER PRESSURE

8 BAR

5 YEARS*
WARRANTY

ON THE TANK

2 YEARS
WARRANTY

ON HEATING ELEMENT

2 YEARS
WARRANTY

ON THE PRODUCT



www.indoappliances.com

*EXTENDED WARRANTY SUBJECT TO REGISTRATION.



JAZZ

INSTANT WATER HEATER



5.5 LTR



3 LTR



1 LTR



GLASS WOOL
INSULATION



STAINLESS STEEL
304 GRADE TANK



6.5 BAR HIGH
WORKING PRESSURE



PRESSURE RELEASE
VALVE



COPPER
HEATING ELEMENT



HI PRECISION
THERMOSTAT & CUTOUT

* ALL DIMENSION IN MM
LXWXH

MODEL	JAZZ 1 LTR	JAZZ 3 LTR	JAZZ 5.5 LTR
CAPACITY (L)	1 L	3 L	5.5 L
DIMENSION (MM)	150X150X300	203X191X364	210X185X300

VOLTAGE

230~

POWER

3/4.5kW

WATER PRESSURE

6.5 BAR

5 YEARS*
WARRANTY
ON THE TANK

2 YEARS
WARRANTY
ON HEATING ELEMENT

2 YEARS
WARRANTY
ON THE PRODUCT



www.indoappliances.com

*EXTENDED WARRANTY SUBJECT TO REGISTRATION.



AURA

INSTANT WATER HEATER



3 LTR 4.5 KW

* ALL DIMENSION IN MM
LXWXH

MODEL	AURA 3 LTR
CAPACITY (L)	3 L
DIMENSION (MM)	176X172X382

VOLTAGE	230~
POWER	3/4.5kW
WATER PRESSURE	6.5 BAR



3 LTR 3 KW



GLASS WOOL
INSULATION



STAINLESS STEEL
304 GRADE TANK



6.5 BAR HIGH
WORKING PRESSURE



PRESSURE RELEASE
VALVE



COPPER
HEATING ELEMENT



HI PRECISION
THERMOSTAT & CUTOUT

5 YEARS*
WARRANTY
ON THE TANK

2 YEARS
WARRANTY
ON HEATING ELEMENT

2 YEARS
WARRANTY
ON THE PRODUCT



www.indoappliances.com

FREE INSTALLATION SUBJECT TO TERMS & CONDITIONS.
*EXTENDED WARRANTY SUBJECT TO REGISTRATION.



AVIANCA
INSTANT WATER HEATER



5 LTR

* ALL DIMENSION IN MM
LXWXH

MODEL	AVIANCA
CAPACITY (L)	5 L
DIMENSION (MM)	230X230X340

VOLTAGE 230~

POWER 2kW

WATER PRESSURE 8 BAR



PUF
INSULATION



ENAMEL TITANIUM
GLASSLINE COATED TANK



8 BAR HIGH
WORKING PRESSURE



MULTIFUNCTION 4 IN 1
SAFETY VALVE



INCOLY 800 GLASS COATED
HEATING ELEMENT



CAPILLARY
THERMOSTAT & CUTOUT

5 YEARS *
WARRANTY
ON THE TANK

2 YEARS
WARRANTY
ON HEATING ELEMENT

2 YEARS
WARRANTY
ON THE PRODUCT



www.indoappliances.com

*EXTENDED WARRANTY SUBJECT TO REGISTRATION.

Indo®

FLORA GAS WH

GAS WATER HEATER



METTALIC GOLD



METTALIC STAINLESS STEEL



OVERHEAT
PROTECTION



GAS FLOW
CUT-OFF TIMER



LOW PRESSURE
COMPATIBLE



LOW WORKING
PRESSURE



AUTOMATED
IGNITION SYSTEM



STAINLESS STEEL BURNER
FOR LONGER LIFE

one
YEAR WARRANTY

7L
LITRE



www.indoappliances.com



PLATINUM D 60

GAS WATER HEATER



one
YEAR WARRANTY

6L
LITRE



OVERHEAT
PROTECTION



GAS FLOW
CUT-OFF TIMER



LOW PRESSURE
COMPATIBLE



LOW WORKING
PRESSURE



AUTOMATED
IGNITION SYSTEM



STAINLESS STEEL BURNER
FOR LONGER LIFE

www.indoappliances.com

WATER Heaters

BY INDO

STORAGE WATER HEATER
INSTANT WATER HEATER
GAS WATER HEATER

	Model	ELANZA PRO	OPTIMUS GL	SUPER DLX MAX	ULTA SLIM	AVIANCA SQUARE	AVAINCA	JAZZ	AURA	HOT STAR NEO
1	Product Type	Storage	Storage	Storage	Storage	Storage	Instant	Instant	Instant	Instant
2	Capacity	6,10,15,25	6,10,15,25,	6,10,15,25,50	10,15,25,35,50	10,15,25	5	1,3,5.5	3	1,3,5.5
Specification/ features										
3	Power	2 KW	2 KW	2 KW	2 KW	2 KW	3 KW	3KW/4.5KW	3KW/4.5KW	3 KW / 4.5
4	Thermostat Cutout Temperature	75°C	75°C	75°C	75°C	75°C	75°C	75°C	75°C	75°C
5	BEE Star rating	5 Star	5 Star	4 star	5 star	5 star				
6	Body Material	Mild stell	Mild stell	Mild stell	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
7	Warranty (Tank/Element /Product) in Years	7 4 2	7 4 2	3 3 3	7 2 2	5 2 2	5 2 2	5 2 2	5 2 2	5 2 2
8	Mounting	Vertical	Vertical	Vertical	Horizontal/ Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
9	Pressure rating	8 Bar	8 Bar	8 Bar	8 Bar	8 Bar	8 Bar	6.5 Bar	6.5 Bar	8 Bar
10	Heating Element	Incoloy 800 Glass line coated				Cooper	Incoloy 800 Glass line coated	Cooper	Cooper	Cooper
11	Inner Tank Materail / Coating	MS /Polymer	MS /Glass line	Stainlees Stell Jindal 304L	MS /Glass line	MS /Glass line	MS /Glass line	Stainlees Stell Jindal 304L	Stainlees Stell Jindal 304L	Stainlees Stell Jindal 304L
12	Water proff Degree	IPx4	IPx4	IPx4	IPx4	IPx4	IPx4	IPx4	IPx4	IPx4
13	Adjustable Temperature	✓	✓		✓	✓	✓			
14	Magnesium Anode	✓	✓	✓	✓	✓	✓			
15	Installation Kit (Connecting Pipes + Fastner)	✓	✓	✓						
16	Class of appliances	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I
17	Supply Cord	1.0 Sq mm ISI MARK					1.5 Sq mm ISI MARK			
18	Plug	16 Amp shock Proff						Optional	Optional	Optional





INDO HITECH APPLIANCES LIMITED

A-13, Mangolpuri Industrial Area Phase II
New Delhi 110034

Customer care No. 8750101818 / 18001021818
Email : service@indoappliances.com



www.indoappliances.com

